


# TECH VICE Co., Ltd.

We are leading distributor of steel structure, pipe, fitting, pressure gauge, Manual valve and control valves, stud bolt, hex nuts, spiral wound gasket

We have no minimum or maximum order requirements,

As the majority of our product is purchased directly to manufacturer and main distributor we are able to keep our prices low.

Quality is very important. At Tech vice.Co.,ltd we are prove of our products very high guality standard The material test report are available. Delivery times are vary important too. Items from these stocks are packed and ready to ship within 48 hours to meet short delivery times.









# **PRODUCT**

#### PIPES

#### ERW, SMLS, SAW

- ASTM A53 GR.A/B
- ASTM A106 GR.B
- ASTM A333 GR.1/6/3
- ASTM A335 P5/P11/P22
- WALL THICKNESS SCH5-SCH160

#### **GALVNIZED STEEL PIPE**

- BS 1387-1985,BS-S,BS-M,BS-H, TIS 276/277 **STAINLESS STEEL PIPE** 

WELDED, SEAMLESS

- ASTM A312 TP304/304L/316/316L
- WALL THICKNESS SCH5-SCH160



#### **FLANGE**

- WELD NECK FLANGE, SLIP ON FLANGE, SOCKET WELD FLANGE, THREAD FLANGE, BLIND FLANGE ORIFICE FLANGE, SPECTACLE BLIND FLANGE
- MATERIALS ASTM A105/N, A350LF1, 2, A516 GR.70, ASTM A182 F304/L F316/L,F11, F22, DUPLEX & SUPER DUPLEX STEEL
- STANDARD ASME ANSI B16.5, ANSI B16.47 SERIES A&B, MSS SP-44, API 6A IN CLASS150 TO 2500, PN6-PN100, JIS 5K-40K.
- FLANGE NOMINAL RANGE 1/2"-60"



#### **FITTING**

CARBON STEEL & STAINLESS STEEL FITTING ERW, SMLS, FORGE STEEL SW/NPT

- ASTM A234 WPB/ANSI B16.9/B16.28
- ASTM A403 WP304/304L, 316/316L
- ASTM A420 WPL6/WPL3
- ASTM A105N CLASS 3000P/6000P
- WALL THICKNESS SCH40-SCH160
- ASTM A182 F304/L, F316/L CLASS 3000P/6000P GALVANIZED FITTING

BRITISH STANDARD THREADED BUTT WELDED VALVES





- STANDARD TO API 600/API 603/API 609/ANSI B16.34/ BS 1868/BS 1873
- SIZE 1/2"-60"
- PRESSURE CLASS UP TO ANSI CLASS 2500
- BRASS, BRONZE, A216 WCB, A217 WC6, 9, CF8, CF3, CF8M, CN7M, ALLOY, DUPLEX STEEL AND SPECIAL METALLURGY UPON REQUEST



# **PRODUCT**



#### **ACTUATOR VALVES**

- WE CAN OFFER FULL RANGE OF ACTUATION FOR BALL, GATE, GLOBE, BUTTERFLY VALVES
- PNEUMATIC ACTUATOR & ELECTRIC ACTUATOR
- TOP FLANGE ISO5211/NF E29-40Z
- CONTROL SYSTEM, 4-20 mA
- SIRCA, BERNARD, DEUFRA, HITORK

## **UPVC & FITTING**

- UPVC & CPVC PRESSURE PIPES ASTM D-1784/1785, BS 3505C CLASS E.JISK-6741 VP (AM)
- UPVC & CPVC PRESSURE FITTING ASTM D-2487/F439, 90°45° ELBOW, REDUCER, TEE, COULPLING, NIPPLE, CAP
- UPVC & CPVC FLANGE UNIVERSAL VANSTONE BACKING RING, SOCKET,THREADED FLANGE
- UPVC & CPVC BALL VALVE, CHECK, BUTTERFLY, DIAPHARGM VALVE Also available for CEMENTS, CLEANERS & PRIMERS
- ACCESSORIES PNEUMATIC & ELECTRIC ACTUATOR
- BRAND NAME HYDROSEAL, SPEARS, ASAHI



## **FLEXIBLE HOSE**



- RUBBER EXPANSION & FLEXIBLE JOINT.
- STAINLESS STEEL EXPANSION JOINT & FLEXIBLE HOSE
- PTFE & FABRIC ALSO ETC
- INDUSTRIAL HOSE HANSA'S RUBBER FOR ANY APPLICATIONS WATER, HOT WATER, COMPRESSED AIR, CHEMICAL, FUEL & OIL
- AVAILABLE TYPE OF CONNECTIONS UNION, FAMALE SWIVEL NUT, BUTT WELDED
- PIPE ENDS, THREAD ENDS CLAMP LOCK, FIXED FLANGE, LOOSE FLANGE

# **TUBE & FITTING**

- SEAMLESS STAINLESS STEEL TUBE WALL THK.
  IN MILLIMETERS AND INCHES ACCORDING TO ASTM A269
- SEAMLESS COPPER TUBE WALL THK. IN MILLIMETERS AND INCHES ACCORDING TO ASTM A269 TO B-75 OR EQIVALENT
- TUBE FITTING MALE, FEMALE, FERRLE
- UNION, ELBOW, TEE, MALE CONNECTOR, NIPPLE
- PIPE CLAMPS
- INSTRUMENT VALVES, NEEDLE, BALL, CHECK VALVED, ISOLATION VALVES, MANIFOLDS VALVES



# **PRODUCT**

## PRESSURE GAUGE

- PRESSURE GAUGE, VACUUM AND DIFFERENTIAL PRESSURE
- PRESSURE RANGE 0 MBAR 1000 BAR
- CONNECT BOTTOM, BACK ENTRY
- NORMINAL SIZE 40-200 MM.
- ACCURACY CLASS PER EN837-1/6
- ACCESSORIES ALARM CONTACTS AND TRANSMITTER.





#### STUD BOLT & BOLT NUTS

- STUD BOLT ASTM A193 B7, B8 ,B8M, B16, ASTM A320, ASTM A453 (DUPLEX)
- HEAVY HEXAGON BOLTS & NUTS ASTM A490, A307, A325, F436, ASTM A194-2H, ASTM A193 GR.4, GR 8, GR 8M, ASTM A563
- U-BOLT & ANCHOR BOLTS CARBON & STAINLESS STEEL.
- Also available for ZINC, GALVANIZED, HOT DIPPED GALVANIZED AND PTFE (ZYLAN) COATED.

## **GASKET**

- NON-ASBESTOS FIBER SHEET, GRAPHITE WIRE INSERT
- PTFE SHEET
- SPIRAL WOUND GASKET FOR HIGH TEMPERATURE
- METAL & SEMI-METALLIC, RING JOINT, METAL JACKET
- PRESSURE CLASS JIS 5K, 10K, 40K, PN6/10, PN40, ANSI 150 -2500LBS
- VALQUA, JAMES WALKER, KLINGER, LEAK BOX





# STEEL STRUCTURE

- CARBON STEEL TUBE FOR ORDINARY AND GENERAL PURPOSES USES.
- STRUCTURAL STEEL H-BEAM, I-BEAM, ANGLE, CHANNEL, LIP CHANNEL, SQUARE & RECTANGULAR PIPE.
- REBAR, DEFORMED BAR SD40 SD50
- PLATE A36, A283 GR.C, SM400, SM490, A516 GR.60-70, PLATE SS304/L, 316/L
- Also available with ELECTRO GALVANIZE AND HOT DIP GALVANIZED

